


# FLORA 220Wns4

(Microsoft® Windows® 2000 Professional Operating System)







10 00000000	5
	6
	. 6
	. 8
	9
	. 9
	. 9
	11
	12
	12
	12
	13
	13
	14
CD/ DAD [ ] [ ] [ ] [ ] [ ] [ ]	15
DMD-Video [] [] [] []	15
	16
W/ndows	16
	17
	18
	18
в об 🛮 🔻 🔻 🔻 🗎 🗎 🗎	19
	20
	22
	23
	23
	25
	25
V#ake on LAN□□□□□	26
Wake on LAN□□□□□	26
Wake on LAN □ □ □	26
	28
2	31

	33
	33
	34
CPU             (Pentium	36
	37
	39
	39
	39
30 000000000000000000000000000000000000	. 41
	42
LAN 🛮 🗘 🔻 🔻 🗎	42
	42
	42
	42
	42
	43
	43
	45
VirusScan	45
Intel SpeedStep Technology Applet	46
	46
BEAMSTAR	46
	46
FLORA AP 🛮 🔻 🔻 🔻 🗎 🔻	46
Norton Ghost 2002	47
Easy CD Greator	47
Power DVD XP	47
SLM TEGAKI [] [] [] []	47
Office XP	47
Acrobat Reader	48
CyberSupport for HTACH	48
	49
W/ndovs	49
	54
40 000000000000000000000000000000000000	. 55
	56
	57
	57
	58
LAN	59
	59
	60
LAN	61

DMA [ ]		62
Bl uet oot h 🛮 🗎 🖺 🗶		62
		63
		63
		64
Vi rusScan		65
Intel SpeedStep Technology Applet		66
		67
Norton Ghost 2002		67
Acrobat Reader		68
CyberSupport for HTACH		68
Windows		69
5 [ ] [ ] Q&A		71
		72
		76
		77
		78
CDY DADO [ ] [ ] [ ] [ ]		79
FD[] [] []		80
		81
HDD0		81
		82
		83
		84
		88
		91
		93
		05
	•	95
		96
		~~
	٠	97



# 


(0000 )00000000000




- (00 )000000 (00000000
- 3 ( 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0











■[Fn]+[F6]( ( — □ [Fn]
[Fn] +[F7] ( ; 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1 (0000 1000 - (00 1 - (0000 000 1000 000 000 000 000 000 000
2 \$\int (1000000000000000000000000000000000000

ヒント



00000	0000	0 0 0 0 0 0 0 0 0 0 0 0 0
	256 []	
640 × 480	Hgh Color (16 🛮 🗎 )	
	True Color (32 🛮 🖶 )	
	256 []	
800 × 600	Hgh Color (16 🛮 🗎 )	
	True Color (3200)	
	256 []	
1024 × 768	Hgh Color (16 🛮 🗎 )	
	True Color (3200)	

# 




#### ヒント


\* [00]00000000 0000000000

										10	)24	ļ×	(	768	3)				]












#### ヒント



- - 4







#### ヒント

★ [0000]00000(**▽**)

#### ヒント

- \* [0000]00000(**?**)





4 [0] 0 0 0 0 0 0 0 0 0 0



# DVD- Vi deo [] [] [] []

## DMA 🗆 🗆 🗆 🗆

# 


#### 重要

#### ヒント

#### 重要

#### ヒント

\* 0000000000000



# 


- [0000 ]000000000000000






4 (0) 0 0 0 0 0 0 0 0 0 0







- **4**[000000 (1**RQ**)000 [000 (1/**Q**)000000000





П	П	П	П			П		П	П
Ш	Ш	Ш	Ш	Ш	Ш		Ш	Ш	Ш

ı		
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
ı		
ı		]

_		_	_	_	_		_						_	ı
0	emis .	0	0	0	0	contra	0	-	n n	0	0	-	- 12	н
														ı
														ı
					_			3						ı

### Supervisor Password

				BI (	$\square$							
		31 CS []										

#### User Password

[ Mai n] 🛮 🖺	[SystemTi næ]
[Advanced] [] []	[Video Configuration] [ [Display] [Panel Setting]
[Security] [] []	[Set User Password] [Set Hard Disk password]*1 [] [] [] [] [] [] [] [] [] [Set Hard Disk password] [Enabled] [] [] [] [] [] []
[Boot] [	000000000
[Exit] [] []	[Save Values & Exit] [Discard Values & Exit] [ ] [

#### Hard Disk Password

 $H\mathfrak{D}$ 

#### 重要

#### 参照

#### 重要

#### 重要

	~	_	_	_		_	_			
BI (	<b>D</b>	D	, D	-8	D	D	- 0	D	D	0
	$\sim$		1 1	1 1		1 1	1 1	1 1	1 1	

Phoeni	xBIOS S	etup Utilit	у
Main Advanced Security	Boot	Exi t	
System Menory: Extended Menory: CPU Information: System BICS Version: Keyboard Controller Version: System Tina: System Date: Primary Master Secondary Master	640 KB xxx MB xxx x. xx x. xx [xx/xx/] [xx/xx/] [xxx MB [CD-ROW	xxxx]	ItemSpecific Help
F1. Help ↑↓ SelectItem -/ Esc Exit ←→ SelectMenu Er			F9 Setup Defaults menu F10 Save and Exit

# **3**[→][][[Security][][]

[] [Security] [] [] [] [] [] []

Phoe	nixBlOS Setup Utility	/
Main Advanced Security	y Boot Exit	
		Item Specific Help
Set Supervisor Password: Set User Password: Password on boot:	[Enter] [Enter] [Disabled]	
Change Hard Disk Password: Set Hard Disk Password:		
Device Configration USBO: USB1: Audio: LAN: CardBus: I EEE1394:	[ Enabl ed] [ Enabl ed] [ Enabl ed] [ Enabl ed] [ Enabl ed] [ Enabl ed]	
F1 Help ↑↓ Select Item Esc Exit ←→ Select Menu	-/Space Change Values Enter Select ►Sub-n	, and the second

_									
0	. A.	as a	- 0	0	- 5	25	0	0	2.75
	- 1 1	- 1 - 1		- 1			- 1		- 1 - 1
ш	A								

Set Supervisor	Password:	•
Enter New Password	[	]
ConfirmNew Password	]	]

- - \_\_\_\_\_ [ConfirmNew Password] \_\_ \_ \_ \_ \_ \_

ヒント

ヒント

\* 00000000000000 00000000000000000

重要

参照

Setup Notice


Changes have been saved. � [ Continue]

- 4 [Enter] [ ] [ ] [ ] [



- 0000000000000

- 1 [Esc] [] [] [] []
  - [ [Exit] [ ] [ ] [ ] [ ] [ ] [ ] [ ]



**7** noogoogo **a**osoogoogoogo

ヒント

1 B(CS[]]]]]][[Security]]]]]]]]	
2 [Set Supervisor Password] [] [] [Set User Password] [] [] [[Enter]	
3 [Enter Current Password] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [	
4 [Enter]	
<b>5</b> B <b>G</b>	
	重要 ◎ 000000000000000000000000000000000000
1 [Change Hard Disk Password]               Enabled]	
2 [Set Hard Disk Password] [ ] [ [ [Enter] [ ] [ ] [ ] [	000 © 000000000000000000000000000000000
<b>3</b>	

#### Setup Notice

Changes have been saved. � [ Continue]

#### Setup Warning

Passwords do not natch. •
Re-enter password. •

[ Continue ]

- 5 [Enter] [] [] [] [] []
  - [] [Security] [] [] [] []

1 [Set Hard Disk Password] [ ] [ [ [Enter] [ ] [ ] [ ] [
[Change Hard Disk Password]   [Enabled]                   Set Hard Disk Password]
2 [Enter Current Password] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [
3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
4 B CS
1 [Set Hard Disk Password]             [Enter]
[Change Hard Disk Password]   [Enabled]               [Set Hard Disk Password]
2 [Enter Current Pæssword] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [
3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
4 B CS

<b>Valke</b> on			
-----------------	--	--	--

# Wake on LAN | | | | |

# Wake on LAN [] []

Vi/ndows 🛮 🖺 🖺

#### 重要

# BI 05 | | | | | | | | |


\_\_\_\_\_\_ Wake on LAN\_\_\_\_\_\_\_\_\_\_\_\_

- 100000000000
- **3** [ → ] [] [] [] [Advanced] [] [] []
  - [] [Advanced] [] [] [] [] [] [] []
- **5** [Esc] [] [] [] [] []

#### ヒント



- **1**000000000000
- 2 \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ Press < 12> to enter Boot Menu [
- $3 \rightarrow 0$
- **4**[↓]]]]][Boot Sequence]]]]][Enter]]]]]
  - [] [Boot Sequence] [] [] [] [] [] [] []



- 6 \_ \_ \_ \_ \_ 5 \_ \_ \_ \_ \_ 5

**2**[]



œu 🛮	HDD] [] []			



0.0	0.0	000000
	0 PU 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
		00000
00000000		
HDD[ [ ]		

#### 重要

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
2 [ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

#### 重要

**3** (00 100000000000



[0000]0000000



000000000

重要

重要

ヒント

- Mindows [ ]
   Windows [ ]
   Windows

### ヒント

# **CPU** [ ] [ ] (Pentium] [ ] [ ]

## 

参照

Intel SpeedStep Applet □ □ □ □
□ □ → 3 □ □ □ Intel SpeedStep

Technology Applet □ (P. 46)

- 1 (0000 )000 (00 ) (00000000 )00000 000(0000000 )0000(000000 )00000



11	1 1		1 1	11	11	
	11		11	11	11	
ш	ш	Ш	ш	ш	ш	

00000000000000000

0000000000

- 10000000000000
- $\frac{3}{6}$

重要

重要)



重要

1 (10000 ) 000 - (100 ) - (100000000000000000000000000000000000
000[0000000000000000000000000000000000

3[]

LANGO
[Intel(R) 830M Graphics Controller [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [
[

重要

ヒント

[Intel(R) 82830M Graphics Contoroller	
■[Intel(R) Graphics Technology] [] []	
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□	

# 

# 0000000000000

### 重要

### ヒント

## 重要

- 4 (0000 )0000000000000
- 6 (000000 )0 (00 )00000000000000

- - 000000000 VEP40000000000000

  - (1)[WEP[]][[128bit][][][]

# **9**000000000000000

### ヒント

#### 重要

6 6	Δ	ם מ	5 D	0 0	α α	۵

## Vi rus Scan

## Vi rusScan [] [] [] [] [] [] []

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

http://www.hitachi.co.jp/Prod/comp/OSD/vakzin/ng/vakzin_ng.htm
VirusScan 🛮 🗎 🗎 🗎 🗎 🗎 🗎 🗎 🗎 🗎 🗎 🗎 🗎 🗎
[ Vi rusScan ]
Administrator VirusScan
VirusScan [ ] [ ] [ ] [ McAfee VirusScan [ ] ] [ ] [ ] [ ] [ ]
VirusScan [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [

### ヒント

# Intel SpeedStep Technology Applet

参照 □ □ □ □ □ □ □ → 2 □ □ □ CPU□ □ □ □ □ (Pentium] □ □ □ □ □ □ (P. 36)

BEAMSTAR [] [] [] [] []
00000000000000000000000000000000000000
FLORA AP [] [] [] [] [] [] [] []
Windows

\_ \_ \_ \_ \_ \_ P- 2642- 1364\_ \_ \_ \_ \_ \_ \_ 06- 00 \_ \_ ) \_ \_ \_ \_ \_ \_ \_ \_

# Norton Chost 2002

		Н	$\mathfrak{D}$														

# Easy OD Creator

OD R/ RW [] [] [] []	DVD ROMSOD RY RW	R 🛮 OD RW 🛮 🖸
		OD-R/RW [] []

## Power DVD XP

# SLM TEGAKI [] [] [] [] []

		Windov	5 🛮 🗀										
					] @[	¥pr	ogra	ns¥t	ega	ki			
] pdf		txt 🛮 🗀											

## Office XP

□□□□□□□□□□ Microsoft Office XP□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
<pre>[ (Word   Excel   Outlook     )             M crosoft Office XP   </pre>
XP [ ] [ ] [ ] [ ] [ ] Microsoft Office XP [ CD-ROM [ CD/DAD] [ ] [ ]

### 重要

### 参照

### 重要

# Acrobat Reader

# CyberSupport for HTACH

### 参照

### 参照

Windows [ ] [ ] [ ] [ ] [ ]
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

\_\_\_ [ \_\_ ] \_\_ \_\_ \_\_ \_\_ Explorer. exe \_\_ \_\_ \_\_ \_\_ \_\_ 

пппппп

0000	0000000	000000				
	RAW	TEXT				

Windows 3.1[]     Windows NT 4.0]
TELNET:
Net Ware Compatible dient Service: NET USE           Net Ware

Windows NT   RAS
Net Ware for Hitachi/W      Net Ware for Hitachi 3050
Windows
M crosoft   ME


**4**[

11					11		
ш	ш	Ш	Ш	Ш	ш	$\sqcup$	

D	 ۵	D	D	 ٥	D	D	D	ο.	6	D	D	0	۵	D

### 重要

### ヒント



	0000000	000
	0000 ×000	00000000000000000000000000000000000000
LAN [] [] []		
DMA 🛮 🗎		
Bluetooth <sup>TM</sup> []	×	×

### ヒント

### 重要

_	_	_						
F		۵	-	0	D	9	0	0

- 2 (C) (D)() [ ] [ ] [ ] Product Recovery (1) ROM[[] (1) sc2[ ] [ ] [ ] [

- 5 (00)0000000000

#### ヒント

\* d[ 02/DAD[ ] [ ] [ ] [ ]



- **2** (0000 )000 (0000000000 )0000000
- - [ [Avance AC 97 Audi o Set up (4.68)] [ ] [ ] [ ] [ ] [ ] [
- **4** (00 )0000000000

ヒント

\* 4 0 00 DVD 0 0 0 0 0 0

LAN	6	Α.	ь.	а .	9

- - [] [Real tek RTL8139/810x Family Fast Ethernet N C] [ ] [ ] [ ] [ ] [ ] [ ]

- 6 (00 ) 0000000000
- 7 [Real tek RTL8139/810x Family Fast Ethernet NC[[[[[[[]]]]]]]]

### ヒント

- \* d[ CD/DVD[ ] [ ] [ ] [

3 CD/DND                 Product Recovery CD ROM   Disc2
4 [0] 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
100000000000000000000000000000000000000
<b>2</b> ( 0 0 0 0 1 0 0 0 - ( 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
3 CD/DVD[ [ ] [ ] Product Recovery CD ROM[ ] Disc2 [ ] [ ] [ ] ct Yari vers Ytouch pead Yset up [ ] [ ] [ [ OK] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [
4 [ 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
5 ( 0 0 ) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
6 ( 0 0 ) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
7 (00 )00000000
8nnnnnnnnnnnnnnnnnnnnnnnnnn

**ヒント**★ d□ C07 DND□ □ □ □ □ □ □

-	_	-	LAN	0	_			-	

- 3 (0000 )00 0 (0000000 )0000000
- 4 (00 )0000000000

- 7 [ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ ] \_ \_ c: \text{\text{thit} achi \text{thit} achi \text{\text{thit} achi \text{\text{thit} achi \text{\text{thit} achi \text{\text{thit} achi \text{thit} achi \text{\text{thit} achi \text{\text{thit} achi \text{thit} achi \text{\text{thit} achi \text{thit} achi \text{\text{thit} achi \text{\text{thit} achi \text{thit} achi \text{thit} achi \text{\text{thit} a
- 8 [c: \text{\tachi \tachi \text{\tachi \text
- 9(00)0000000000

### ヒント

#### ヒント

DE
1
2 (0000 )000 - (00 ) - (0000000 )0000000
3 (
4 [I DE ATA! ATAPI [] [] [] [] [] [] [] [] [] [] [] [] []
5 pm 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
6 [ 0 0 0 0 ] 0 0 0 0 0 0 0 0 [ 0 0 0 0 0
Bluetooth [ ] [ ] [
Bl uet oot h

重要



	00000000	000			
	0000×000	00000000000000000000000000000000000000			
	×	×			
	×	×			
Vi rusScan	×	×			
Intel SpeedStep Technology Applet *					
Norton Ghost 2002	×	×			
Mcrosoft®Office XP (□□□Office XP) *	×				
Easy CD Creator *	×	×			
Power DVD XP *	×	×			
SLM TEGAKI [] [] [] []	×	×			
Acrobat Reader					
CyberSupport for Htachi	×	×			

0	0	D	0	LANI	0 0	٥	D	D	_ n	6	В	Д	1
				LAN									Γ

- **2** (0000 )0000 (00000000000

#### ヒント

### 重要

3 [□□] ] c:¥nitachi¥drivers¥wlan¥setup [□□□□[OX] [□□□ **4** (ao )ooooooooo **5** (nn )0000000000 **6** (no )0000000000 000000000 f 1 (naoo )ooo – (oooooooooooo )oooooo f 2 (CD) DVD  $oxed{0}$   $oxed{0}$  oxe

ヒント \* d0 C37 DAD0 0 0 0 0 0 0 0 0

\_\_\_\_\_[Enter]\_\_\_\_\_

## Virus Scan

- **2** (0000 )000 (0000000000 )0000000
- 4 (00 )0000000000


ヒント

\* d[ 07) DVD[ ] [ ] [ ] [

- **11**(00 100000000000

# Intel SpeedStep Technology Applet

- 2 (C) DVD[ [ ] [ ] [ ] Product Recovery (C) ROM[[ D sc2] [ ] [ ] [ ] [
- - [] [Setup Complete] [] [] [] [] [] []



ヒント

\* d[ 00/DVD[ ] [ ] [ ] [

1 ay DADO 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
<b>2</b> (0000 )0000 (0000000000000000000000000
3 d: *programs*internet marks*npi me011 [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [
4 00000000000000
Nort on Ghost 2002
1 ay DAD
<b>2</b> [0000 ] 000 - [000000000 ] 0000000
3 d: *programs*ghost *i nst al   *set up() () () () () () () () () () () () () (

4 (00 )00000000000

000000000

ヒント

\* d[ CD/ DAD[ [ ] [ ] [ ] [

## Acrobat Reader

- **2** (0000 )000 (000000000000 )0000000
- - [] [Adobe Acrobat 5.0.5] [] [] [] [] [] [] [] [] [] []
- 4 00000000000000000
- 5 (0) 0 0 0 0 0 0 0 0 0 0

# Cyber Support for HTACH

- $oldsymbol{1}$  ay exposs  $oldsymbol{0}$   $oldsymbol{0}$  o
- **2** (0000 )000 (000000000000 )0000000

重要)


ヒント

\* d[ CD/ D/D(] [ ] [ ] [ ] [



- 1 (0000 )000 (00 ) (000000 000 )00000000

[]



参照 0000000000→100000 0000000000000000(P.6)

```
Q
000000000(0000)00000000000
全級「詳細」
 【スタート】メニューに項目を追
加または削除できます。
  最近便った文書、ブログラム、
Web サイトの記録を削除するに
は、「カリア」をクリックしてください。
 Î
       1
     キャンセル
Q
\boldsymbol{A}
Q
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
\boldsymbol{A}
- [ 0 0 0 0 0 0 0 0 0 1 0 0 0 0 0
 新規作成(W)
 プロパティ(R)
Q
00000000000000000
```

 $\boldsymbol{A}$ 





### Q $\boldsymbol{A}$



### Q $\boldsymbol{A}$





- 3[X]





Q  $\boldsymbol{A}$ 


















### 

### 参照

(2) DVD- ROM() (30- ROM() () () () () () () () () () () () () (
A        DVD ROM     OD ROM
CD R   CD RW
© CD ROM DVD ROM
DVD Vi deo [
A
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
DMD-VI deo
DMD+VI deo

Q O RY RWO [ ] [ ] [ ] [ ] [ ] [ ] [ ] FD - - -Q FD0 0 0 0 0 0 0 0 0 Q FD0 0 0 0 0 0 0 0 0 0  $\boldsymbol{A}$ ☐ 1.44MB☐ FD☐ ☐ ☐ Macintosh 🛮 🗎 🗎 🗎 🗎 🗎 🗖 🗖 🗖 🗖 🗖 Q 

C FDD
FD
С НОО
HDD[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[]-[
C HDD
30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Q  $\boldsymbol{A}$ Q Q  $\boldsymbol{A}$ Q  $\boldsymbol{A}$ Q LAND 

参照


参照

参照

参照


_ 100BASE-TX_
Net Ware
10BASE5/ 10BASE-T
A
OND
T
<b>Q</b>
$oldsymbol{A}$
Windows
$oldsymbol{A}$

ファイル かイブ   オフライン ファイル   ファイル かイブ   オフライン ファイル   オフライン ファイル   オフライン ファイル   オス このファルグを何し終定で 表示できます。
3[0]00000000000000000000000000000000000
Q CD: ROM DVD: ROMO
A  100000000000000000000000000000000000
<b>Q</b>
$m{A}$



2[0000000000000]00000000000000000 3[000000]000[00]000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 4[X]пппппп 2[0000000000000000<u>]</u>0000000000000000 

### 



**@** o,o o o o o o o o o o o o o o o o



### **@** o\_o o o o o o o o o o o

A




### 

#### ヒント

\* 0000000000004

A



### 

 $\boldsymbol{A}$ 



参照



### **@** o,oooooooooo

 $\boldsymbol{A}$ 



# **@**

 $\boldsymbol{A}$ 






- - 4[04]



- 3[00000] [00000000]


- 6[00000]






**@** 0,000000000000

- 4[00]





4		
	000000[00000000]0000000000000000000000	




- $\boldsymbol{A}$

 $\boldsymbol{A}$ 



	∐l	╛
000000000HTAC000000000000000000		

00000000	00000	0000	FAX[] []
M crosoft Office XP		03- 5354- 4500 06- 6347- 4400	
ACL	AOL [] [] [] [] []	0120-275-265	
BI GLOBE	BI GLOBE [	0120-86-0962	
		0120- 5656- 86	045-222-8561
i sao	i sao 🛮 🗎 🗎 🗎 🗎 🗎	0570-057-050	
CON		0120-047-815	
CDN	ODN	0088-86 (	0088-22-8850
0000	TTnet [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [	0081- 1588	
000000000	0000 00000 000000000 00000000000000000	e-mail: internet-marks@nh.itg.hitachi.co.jp e-mail	
Easy CD Creator			
Norton Chost 2002			
Power DVD XP	H TAC	0120-2580-91	П
Acrobat Reader		0120 2300 31	
CyberSupport for H TACH			



```
Α
Acrobat Reader 48, 68
                             BEAMSTAR | | | | 46
BIOS Utility 19
                             12
Boot Menu 28
                             CyberSupport for HTACH 48, 68
D
                             0 0 0 0 0 0 57, 63
DMA [ ] 15
DVD-Video 15
                             F
HDD[] [] 32
                             ] ] ] ] 32
                             1/00 0 0 0 0 0 17
Intel SpeedStep Technology Applet 46, 66
                             I RQ 17
                             00000000007
LAN | | | | 42, 59
                             0 0 0 0 15
Norton Chost 2002 47, 67
                             O
Office XP 47
                             0 0 0 0 0 0 0 32
Power DVD XP 47
                             SystemSecurity 20
                             VirusScan 45, 65, 93
                             _____ 57, 42
VShield 93
W
                             0 0 0 0 0 0 0 42
Wake on LAN 26
                             W/ndows | | | | | | |
Windows | | | | 69
                             0000000000008
```

[
©

Copyright © Hitachi,Ltd. 2002. All rights reserved.

# **HITACHI**